

03500.015744

COJC
PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:

KOTA KIYAMA

Appln. No.: 09/942,577

Filed: August 31, 2001

For: RECORDING MEDIUM CONVEYANCE)
APPARATUS AND RECORDING)
APPARATUS COMPRISING RECORDING)
MEDIUM CONVEYANCE APPARATUS :

)

:

)

:

)

:

)

:

)

:

)

:

Examiner: L. Tran

Group Art Unit: 2853

Patent No.: US 6,789,888 B2

Issued: September 14, 2004

March 15, 2005

Certificate
MAR 21 2005
of Correction

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attention: CERTIFICATE OF CORRECTION BRANCH

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050), in duplicate, is enclosed.

03/17/2005 EABUBAK1 00000110 6789888

01 FC:1811


100.00 OP

MAR 25 2005

Accompanying this letter is a check for \$100.00 to cover the statutory fee for issuing a Certificate of Correction to correct errors of the patentee. Any deficiency should be charged, or any overpayment credited, to Deposit Account No. 06-1205. A duplicate of this paper is enclosed for this purpose.

Patentee's undersigned attorney may be reached by telephone in our Washington, D.C. office at (202) 530-1010 or by facsimile at (202) 530-1055. All correspondence should be directed to our address given below.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'Mark A. Williamson', with a long horizontal flourish extending to the right.

Mark A. Williamson
Attorney for Patentee
Registration No. 33,628

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2200

MAW/lip DC_MAIN 192810v1

MAR 25 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,789,888 B2

DATED : September 14, 2004

INVENTOR(S) : Kiyama

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE COVER PAGE

Item (56), References Cited, Foreign Patent Documents, "JP 2000143025 * 5/2000" should read --JP 2000-143025 * 5/2000--.

COLUMN 2

Line 14, "above described" should read --above-described--.

Line 22, "charge eliminate" should read --charge-eliminate--.

Line 66, "an" should read --a--.

COLUMN 5

Line 20, "above described" should read --above-described--.

COLUMN 7

Line 22, "above described" should read --above-described--.

Line 47, "above described" should read --above-described--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,789,888 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) MAW/lp DC_MAIN 192812



MAR 25 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,789,888 B2

DATED : September 14, 2004

INVENTOR(S) : Kiyama

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8

Line 12, "above described" should read --above-described--.

Line 19, "above described" should read --above-described--.

Line 22, "above described" should read --above-described--.

COLUMN 9

Line 7, "adjacent" should read --adjacent to--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,789,888 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) MAW/lp DC_MAIN 192812



MAR 25 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,789,888 B2

DATED : September 14, 2004

INVENTOR(S) : Kiyama

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE COVER PAGE

Item (56), References Cited, Foreign Patent Documents, "JP 2000143025 * 5/2000" should read --JP 2000-143025 * 5/2000--.

COLUMN 2

Line 14, "above described" should read --above-described--.

Line 22, "charge eliminate" should read --charge-eliminate--.

Line 66, "an" should read --a--.

COLUMN 5

Line 20, "above described" should read --above-described--.

COLUMN 7

Line 22, "above described" should read --above-described--.

Line 47, "above described" should read --above-described--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,789,888 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) MAW/lip DC_MAIN 192812



MAR 25 2005

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : US 6,789,888 B2

DATED : September 14, 2004

INVENTOR(S) : Kiyama

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 8

Line 12, "above described" should read --above-described--.

Line 19, "above described" should read --above-described--.

Line 22, "above described" should read --above-described--.

COLUMN 9

Line 7, "adjacent" should read --adjacent to--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. US 6,789,888 B2

No. of add'l. copies
@ 30¢ per page

Form PTO 1050 (Rev. 3-82)

(Form#30) MAW/lp DC_MAIN 192812



MAR 25 2005